



**CARBON BASED ENVIRONMENTAL  
PTY LIMITED**  
ABN 74 102 920 285

**ROCLA QUARRY PRODUCTS  
CALGA QUARRY**

**ENVIRONMENTAL MONITORING**

**DUST DEPOSITION GAUGES, SURFACE AND  
GROUND WATERS AND METEOROLOGICAL  
STATION**

**FEBRUARY 2008**

---

Colin Davies BSc MEIA CENVP  
Environmental Scientist  
7 April 2008

© Carbon Based Environmental Pty Limited 2008. This document was prepared solely for the original recipient and no third party must rely or use any information without the consent of Carbon Based Environmental Pty Limited. Carbon Based Environmental Pty Limited and the author accept no responsibility to any third party who uses or relies upon the information contained in this report.

## EXECUTIVE SUMMARY

Carbon Based Environmental is contracted by Rocla Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes;

- Dust Deposition Gauges;
- Surface Waters;
- Ground Waters; and
- Meteorological Station.

This report was prepared by Carbon Based Environmental and includes the following;

- Dust Deposition results for February 2008;
- Surface Water quality results for February 2008;
- Ground Water depth and quality results for February 2008; and
- Meteorological report for February 2008.

The February 2008 dust deposition results show a slight decrease in dust deposition rates this month. All sites, on a year to date average basis, are currently below the Air Quality Management Plan exceedence level of 3.7g/m<sup>2</sup>.month. Results were found to be representative of dust levels as determined by the Australian Standard.

Surface water samples were collected for the normal monthly sampling event on the 29 February 2008 at sites F and the small dam below site F, as the other sites were not flowing. At the time of sample collection, there was no water discharge observed from the site. Results show generally very good quality water with the two sites maintaining slightly acidic pH, low Electrical Conductivity, low Total Suspended Solids and no detectable Total Oil and Grease.

Groundwaters were sampled for normal monthly monitoring on 29 February 2008. Groundwater depths decreased at the majority of monitoring bores this month, indicating water moving towards the surface. Water quality parameters remained stable.

The meteorological station continued to return high data recovery and operated well in February 2008. The predominant winds were from the SSW, with strongest winds from the SW. Recorded rainfall on site for February 2008 was 179.2mm, lower than that recorded at the BOM Peats Ridge Station but above the Peats Ridge long-term average for February. Results are detailed below:

Rocla Calga Quarry	179.2mm
BOM Peats Ridge*	282.2mm
BOM Gosford*	401.4mm
BOM Peats Ridge Long term mean for February*	160.9mm

\*Data sourced from Bureau of Meteorology (BOM) website ([www.bom.gov.au](http://www.bom.gov.au))

Note: Differences in the daily rainfall readings between BOM and the Rocla station may occur due to BOM stations reporting rainfall at 9am and the Rocla station recording rainfall at midnight.

## 1.0 SAMPLING PROGRAM

Rocla Calga Quarry conducts environmental monitoring in accordance to Development Consent, DEC (EPA) licence and Environmental Management Plans. Carbon Based Environmental are contracted to undertake dust deposition gauge, surface and groundwater and meteorological monitoring for the project. Carbon Based Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard AS3580.10.1 “Methods for Sampling and Analysis of Ambient Air Method 10.1 Determination of Particulates—Deposited Matter—Gravimetric Method”. Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m<sup>2</sup>.month.

Surface water sites include local streams and dams. Basic analysis including pH, Electrical Conductivity, Total Suspended Solids and Total Oil and Grease is conducted monthly when sites A to D are flowing and Site F, a dam. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwater sites are monitored at least bi-monthly for water quality and at least quarterly for water level. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real time display. Wind parameters are measured according to Australian Standard AS 2923 “Ambient Air— Guide for Measurement of Horizontal Wind for Air Quality Applications”.

The weather stations have the following sensor configuration;

- Air temperature
- Humidity
- Rainfall
- Atmospheric pressure
- Evaporation
- Solar radiation
- Wind speed
- Wind direction

Carbon Based Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

## 2.0 MONTHLY RESULTS

### 2.1 DUST DEPOSITION GAUGES

**Table 1** displays the results for February 2008 and the project average. Results are in g/m<sup>2</sup>.month.

**Table 1: Dust Deposition results: 31-Jan-2008 to 29-Feb-2008**

Site	Monthly Insoluble Solids	Monthly Ash Residue	Monthly Combustible Matter	Monthly Ash Residue/ Insoluble Solids %	Current Project Average Insoluble Solids
CD1	0.9	0.3	0.6	33	1.4
CD2b	1.0	0.5	0.6	50	1.5
CD3	1.2	0.7	0.5	58	0.9
CD4	0.7	0.3	0.4	43	1.1
CD5	0.5	0.2	0.3	40	1.1
CD6	0.8	0.3	0.5	38	1.2

Insoluble Solids marked with an \* indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen, seeds), and insects. Results in bold indicate insoluble solids levels above 3.7 g/m<sup>2</sup>.month, the Development Consent annual average amenity criteria at residential locations. Project average was calculated from the 28 October 2005 (start of the Development Consent period) from results supplied by Rocla or from the installation date of the gauges.


NA= Not Available.

CD1 was installed on the 1 May 2006. CD2a was discontinued at the start of August 2006 due to quarry operations “mining out” the site of the gauge. The replacement gauge, Site CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD4 was installed on 3 October 2006, to gauge air quality impacts to the south of the site operations, as were CD5 and CD6 which were installed on the 14 December 2006.


Dust deposition charts for all dust gauge sites appear in **Figure 1** below. The laboratory analysis is provided in **Appendix 1**.

Predominant winds were from the SSW, with strongest winds from the SW.


Figure 1: Dust Deposition Charts




Rocla Calga Quarry Dust Gauge CD4 - Insoluble Matter



Rocla Calga Quarry Dust Gauge CD5 - Insoluble Matter



Rocla Calga Quarry Dust Gauge CD6 - Insoluble Matter



## 2.2 WATER MONITORING

### 2.2.1 Surface Waters

Monthly surface water monitoring was conducted on the 29 February 2008 and results are listed in **Table 2**. The laboratory analysis sheets are provided in **Appendix 1**.

**Table 2: Monthly surface water monitoring (January) - grab sample results**

Site	Observed Flow Rate	Water Colour	Turbidity	pH	EC (uS/cm)	TSS (mg/l)	Oil and Grease (mg/l)
<b>A</b>	Not Flowing	--	--	--	--	--	--
<b>B</b>	Not Flowing	--	--	--	--	--	--
<b>C</b>	Not Flowing	--	--	--	--	--	--
<b>D</b>	Not Flowing	--	--	--	--	--	--
<b>F</b>	Dam	Clear	Clear	6.51	77	25	<5
<b>Dam below F (Lower dam)*</b>	Dam	Clear	Clear	6.09	68	11	<5

At the time of sampling, there were no water discharges off site from any sampling location.

\* The dam below Site F is not a requirement of the Site Water Management Plan.

There was no flow from any site at the time of sampling with two samples collected from dams; these were Site F and a small dam below site F, additional to the Site Water Management Plan requirements. The samples were collected and analysed for a monthly sampling event. Results show very good water quality with slightly acidic pH, low Electrical Conductivity, low Total Suspended Solids and no detectable Total Oil and Grease.

### 2.2.2 Ground Waters

Groundwaters were sampled on the 29 February 2008. Water quality tests for pH and electrical conductivity were conducted by Carbon Based Environmental Pty Limited. For water quality purposes, water was purged from the bore until constant pH (+/- 0.1 pH units) and Electrical Conductivity (+/- 5%) was obtained between samples. Data is displayed in **Table 3** and **Figures 2 to 5**.

Groundwater depths decreased at the majority of monitoring bores this month, indicating water moving towards the surface. The CP series of bores generally show larger increases and decreases in depth to water due to pumping from the bores. Longer term monitoring is required to fully evaluate groundwater depth trends.

Groundwater quality results remained relatively stable and indicate slightly acidic water of low electrical conductivity. Detailed biannual water quality monitoring was conducted in October 2007 and is next due in April 2008.

**Table 3: Ground Water Quality Data**

Reference	Bore	Type	Depth to water TOC (m) April 06	Depth to water TOC (m) This report	pH This report	Electrical Conductivity (uS/cm) This report
CQ1	Voutos	* Monitor	20.59	19.36	5.4	135
CQ2	Voutos	DIP Only	6.23	4.57	5.0	75
CQ3	Voutos	* Monitor	10.53	10.11	5.6	125
CQ4	Voutos	* Monitor	8.78	5.52	4.9	95
CQ5	Gazzana	DIP Only	8.69	4.55	4.7	175
CQ6	Gazzana	DIP Only	16.00	11.37	4.6	155
CQ7	Gazzana	* Monitor	6.89	5.46	4.8	105
CQ8	Gazzana	* Monitor	11.03	6.51	4.5	185
CQ9	Gazzana	DIP Only	10.10	8.78	4.8	115
CQ10	Voutos	* Monitor	NI	21.94	5.5	140
CQ11S	Gazzana	* Monitor	NI	7.09	4.6	155
CQ11D	Gazzana	* Monitor	NI	8.38	4.8	125
CQ12	Gazzana	* Monitor	NI	3.79	4.8	150
CQ13	Kashouli	* Monitor	NI	11.10	4.5	190
CP3	Gazzana	Domestic	10.40	6.92	4.7	160
CP4	Kashouli	Domestic	13.63	6.64	4.5	225
CP5	Kashouli	Domestic	16.61	5.25	4.5	270
CP6	Kashouli	Domestic	16.27	7.99	4.3	240
CP7	Kashouli	Production	8.56	0.94	4.8	240
CP8	Rozmanec	Domestic	22.17	NR	NR	NR
MW7	Rocla Bore	* Monitor	15.76	14.95	5.0	125
MW8	Rocla Bore	* Monitor	9.82	6.50	5.0	110
MW9	Rocla Bore	* Monitor	22.44	21.58	5.1	95
MW10	Rocla Bore	* Monitor	15.41	13.37	4.9	125

Notes:

TOC = Water level measured from top of bore case to water.

NM = Not Monitored – unable to sample water due to access restrictions.

NR = Not Required by resident.

\* = Logger Installed.



NI = These bores were not installed in April 2006 but are now operational. April 2006 was the first set of measurements taken by Carbon Based Environmental Pty Limited.



Shading is used to indicate the following trends in water depth (compared to last reading):

	Increase to ground water depth (water moved away from surface)
	Decrease to ground water depth (water moved towards surface)
	Stable water depth (+/- 0.01m)

Available groundwater loggers were downloaded and forwarded to the Rocla Calga Quarry groundwater consultant.

Figures 2 to 5: Groundwater Depth Charts.





### **2.3 METEOROLOGICAL MONITORING**

The Rocla Calga Quarry weather station was fully operational in February 2008 with approximately 100% data recovery. The weather station data follows and includes;

- Monthly data numerical summary;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception; and
- Wind rose (frequency distribution diagram of wind speed and direction).

Monthly weather statistics from two nearby Bureau of Meteorology (BOM) stations, Peats Ridge and Gosford are included in **Appendix 2** for comparison purposes.

Data for February 2008 shows lower rainfall at the Rocla Calga Quarry station compared to the nearby Peats Ridge BOM station and Gosford BOM station. The rainfall comparison is provided below:

Rocla Calga Quarry	179.2mm
BOM Peats Ridge*	282.2mm
BOM Gosford*	401.4mm
BOM Peats Ridge Long term mean for February*	160.9mm

\*Data sourced from Bureau of Meteorology (BOM) website ([www.bom.gov.au](http://www.bom.gov.au))




**Results are displayed in the following table and figures.**




### 2.3.1 Monthly meteorological data summary

Summary Feb-08 Rocla - Calga


Date	Min Temp	AV Temp	Max Temp	min %RH	av %RH	Max %RH	RAIN mm	ET mm	min WS	Av WS	max WS	Min wind chill	Max Heat index	Min Atm P	Av Atm P	Max Atm P	Min Solar Rad	Av Solar Rad	Max Solar Rad	Min Data %	Av data %	Max Data %
1/02/08	18.4	18.9	19.5	94	98	100	11.4	0.6	0.9	2.2	8	18.4	20.5	1013.9	1016.3	1018	0	40.6	166	86.5	99.5	100
2/02/08	18.2	21.0	26.4	68	90	99	1.0	1.8	0	1.2	5.8	18.2	27.6	1014.4	1016.2	1018.1	0	109.6	420	92.4	99.8	100
3/02/08	19.1	21.0	24.4	76	94	99	29.4	1.3	0	0.9	6.7	19.1	25.9	1013.7	1014.9	1016.2	0	79.6	460	93.9	99.8	100
4/02/08	19.3	20.2	21.7	98	99	100	18.2	0.7	0	1.6	8.5	19.3	23.7	1009.2	1011.5	1014.4	0	47.0	215	97.7	99.8	100
5/02/08	18.9	20.5	23.6	85	97	100	3.2	1.2	0	1.5	10.3	18.9	24.9	1003.6	1006.2	1009.2	0	74.1	378	77.8	98.7	100
6/02/08	17.7	21.3	30.9	47	84	98	7.6	3.9	0	2.0	9.8	17.7	33.3	997.5	1000.6	1003.6	0	229.7	1091	94.4	99.6	100
7/02/08	15.8	18.9	25.7	55	88	98	22.6	2.9	0	2.5	13.9	15.8	25.8	997	1000.3	1006.2	0	170.6	1068	93	99.5	100
8/02/08	15.7	17.1	19.5	72	87	98	1.4	1.6	0	1.6	5.8	15.6	19.7	1005.7	1006.9	1008.6	0	91.8	487	96.2	99.4	100
9/02/08	13.3	15.8	19.1	74	92	99	27.4	1.8	0	2.2	10.7	11.8	19.4	1004.2	1006.9	1010.7	0	111.2	741	95.3	99.1	100
10/02/08	13.9	17.0	21.6	65	80	95	0.0	3.7	0.4	2.5	8	13.4	20.9	1010.4	1013.2	1016.4	0	199.2	1072	85.7	99.1	100
11/02/08	13.7	18.8	25.1	56	78	96	0.0	3.8	0	1.5	8.9	13.7	25.3	1012.7	1015.1	1017	0	200.7	895	87.7	99.1	100
12/02/08	16.3	20.5	28	54	80	95	0.2	3.9	0	1.5	7.6	16.3	28.6	1006.1	1008.9	1012.4	0	221.1	1240	95.9	99.6	100
13/02/08	15.3	17.5	19.4	76	89	100	4.0	1.5	0	2.2	10.7	15.3	20.1	1004.9	1009.7	1014.9	0	75.8	590	92.7	99.4	100
14/02/08	15.3	17.6	22.1	59	80	95	0.4	3.2	0	2.0	8	15.3	21.6	1013.8	1016.2	1018.5	0	178.5	1031	82.2	99.2	100
15/02/08	14.9	17.7	22.2	59	83	99	1.8	3.2	0	2.1	8	14.8	22.1	1016.9	1018.8	1020.6	0	173.0	819	93.6	99.0	100
16/02/08	13.9	17.5	21.7	56	77	94	0.2	3.4	0	2.1	10.7	13.9	21.2	1019.6	1022.0	1023.8	0	174.8	1027	80.4	98.9	100
17/02/08	15.3	17.7	21.2	76	86	94	5.2	2.0	0	1.2	8	15.3	21.6	1021.4	1022.9	1024.6	0	111.4	508	97.7	99.9	100
18/02/08	16.4	19.3	24.3	60	84	98	1.4	2.3	0	1.2	8.5	16.4	24.7	1017.7	1019.7	1022.1	0	124.0	831	91.8	99.7	100
19/02/08	16.8	19.4	24.8	67	87	96	1.2	2.2	0	0.9	7.6	16.8	25.7	1012.9	1015.7	1018.4	0	138.5	598	81.6	99.4	100
20/02/08	15.1	20.8	28.9	53	82	99	0.4	4.5	0	1.2	6.7	15.1	30.4	1009	1011.4	1014.7	0	267.4	1109	92.1	99.5	100
21/02/08	17.6	20.3	25.6	59	86	99	0.2	2.6	0	1.2	7.2	17.6	26.3	1008.2	1010.0	1011.4	0	138.1	816	94.2	99.3	100
22/02/08	17.2	22.8	32.5	46	76	93	0.0	4.8	0.4	1.7	7.2	17.2	34.8	1000.3	1005.2	1010	0	248.4	985	82.2	98.5	100
23/02/08	16.4	22.1	26.4	31	53	84	0.0	6.9	0.4	3.7	14.8	16.5	26.6	999.5	1005.1	1007.9	0	289.4	992	91.2	99.7	100
24/02/08	14.9	20.2	28.3	26	55	80	0.0	6.2	1.3	3.1	10.3	14.7	27.3	1006.1	1008.3	1013.9	0	277.5	983	90.6	99.7	100
25/02/08	17.1	20.1	25.6	54	72	88	0.0	3.5	0	1.6	8	17.2	25.8	1013.3	1015.9	1017.9	0	168.6	1119	88.3	98.2	100
26/02/08	16.2	21.0	31	48	82	97	16.4	3.8	0	1.2	10.3	16.2	32.9	1013.7	1016.4	1018.4	0	221.6	1117	93.9	99.4	100
27/02/08	16.3	20.0	24.8	54	82	99	0.2	2.5	0	2.0	8	16.4	24.9	1009.1	1012.2	1015.5	0	118.7	531	88.9	99.5	100
28/02/08	13.3	16.2	18.3	84	95	99	24.4	0.7	0	2.0	11.6	11.8	18.8	1008.4	1010.0	1013	0	42.1	270	95.3	98.7	100
29/02/08	11.6	14.3	17.9	57	75	96	1.0	2.8	0	3.3	11.6	9.8	17.7	1012.5	1015.2	1018.3	0	142.2	1096	90.1	99.3	100
Monthly	11.6	19.2	32.5	26	83	100	179.2	83.0	0	1.9	14.8	9.8	34.8	997	1012.1	1024.6	0	154.0	1240	77.8	99.3	100

2.3.2 Monthly weather charts







Rocla Calga Quarry - February 2008  
Rainfall



Rocla Calga Quarry - February 2008  
Evapotranspiration




Rocla Calga Quarry - February 2008  
Data Reception



### 2.3.3 Windrose plot

Frequency plot of the average wind speed and average direction over each 15 minute sampling period. Wind is considered calm when less than a 15 minute average of 1m/s.



The windrose shows predominant winds from SSW this month. The maximum wind speed was 14.8 m/s from the SW.

**APPENDIX 1**  
**LABORATORY CERTIFICATES**

**APPENDIX 2**

**ADDITIONAL BUREAU OF METEOROLOGY DATA  
FROM PEATS RIDGE AND GOSFORD  
MONITORING STATIONS**

**Peats Ridge, New South Wales  
February 2008 Daily Weather Observations**



**Australian Government  
Bureau of Meteorology**

Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am						3pm						
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP	
		°C	°C					km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa	
1	Fr	18.1	19.8	89.8						18.7	95	8	S	9		19.3	97	8	S	4		
2	Sa	17.8	25.0	7.2	1.0					19.3	97	8	S	4		24.1	79	7	NE	9		
3	Su	18.8	22.7	0.4	2.4					22.2	93	8	NE	4		22.8	90	8	ENE	4		
4	Mo	18.9	21.1	33.4	1.0					19.8	98	8	NE	4		20.5	100	8		Calm		
5	Tu	19.2	23.2	26.8	0.4					20.1	98	8	NE	4		23.1	87	8	NW	4		
6	We	18.8	28.7	1.8	0.6					21.0	84	3	SW	4		25.6	76	6	NE	9		
7	Th	15.8	25.5	6.0						19.2	78	6	NW	9		17.5	90	8	N	11		
8	Fr	15.1	20.5	22.6	2.6					17.1	89	8	SSW	9		18.5	76	8	N	4		
9	Sa	13.5	17.5	11.6	1.8					15.5	94	8	N	4								
10	Su	12.8	21.5	6.0	1.8					17.5	80	3	N	9		21.5	67	7	NW	9		
11	Mo	12.6	23.8	0.4	2.6					19.3	73	6	ENE	4		22.3	63	6	NE	19		
12	Tu	18.3	24.6	0	3.6					18.9	88	6	NE	4		23.7	68	3	ENE	19		
13	We	14.7	19.3	0.4	3.0					18.4	98	8	E	9		19.0	79	8	S	19		
14	Th	14.4	21.7	9.6	1.6					15.8	93	8	S	4		20.7	62	5	S	9		
15	Fr	13.9	22.5	3.4	3.0					15.7	97	8	S	4		21.5	66	6	N	4		
16	Sa	12.9	22.2	0.2	3.2					16.4	91	6	SSW	4		19.8	71	6	S	4		
17	Su	13.6	21.2	0	2.6					17.6	82	6	S	4								
18	Mo	15.9	23.2	1.0	0.4					18.6	91	7	SSE	4		22.2	65	5	NE	9		
19	Tu	15.5	22.5	1.8	1.8					17.6	98	6	E	4		20.5	91	8		Calm		
20	We	14.9	25.6	6.2	2.0					17.9	98	8	E	4		25.5	62	2	SSE	7		
21	Th	15.9	25.8	0.8	3.2					19.2	98	7	ENE	4		23.0	77	7	SE	4		
22	Fr	18.3	29.7	0	3.0					20.2	82	1	SE	4		29.1	52	1	NW	4		
23	Sa	18.1	26.0	0	4.4					20.7	49	0	NW	9		24.5	47	0	NE	7		
24	Su	11.6	27.4	0	6.2					19.0	50	0	WNW	4		27.2	33	0	SW	4		
25	Mo	14.8	22.8	0	5.2					19.0	75	8	NE	4		22.8	66	5	NE	9		
26	Tu	16.1	27.7	0	3.2					21.1	81	6	E	9		25.9	68	4	ESE	9		
27	We	15.3		18.0	4.4					19.6	86	4	NE	4		21.5	66	7	SE	7		
28	Th		20.2	0.2												16.8	97	8	SSW	4		
29	Fr	10.9	18.1	34.6	3.8					11.7	80	4	SSW	4		16.9	72	3	SW	4		
<b>Statistics for February 2008</b>																						
Mean		15.4	23.2		2.6					18.5	86	5		5		22.0	72	5		7		
Lowest		10.9	17.5		0.4					11.7	49	0	#	4		16.6	33	0		Calm		
Highest		19.2	29.7	89.8	6.2					22.2	98	8	#	9		29.1	100	8	#	19		
Total				282.2	68.8																	

Gosford, New South Wales  
February 2008 Daily Weather Observations



Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am						3pm						
		Min °C	Max °C				Dirn	Spd km/h	Time local	Temp °C	RH %	Cld eighths	Dirn	Spd km/h	MSLP hPa	Temp °C	RH %	Cld eighths	Dirn	Spd km/h	MSLP hPa	
1	Fr	20.1	21.8	6.1							20.1	99		SW	2		20.4	94		SSE	7	
2	Sa	19.1	27.8	5.4			SE	22	15:13	21.0	95						25.0	73		E	9	
3	Su	19.5	25.9	2.4			NNW	22	18:12	22.9	99						25.5	83		E	7	
4	Mo	20.1	22.7	63.0			ENE	30	18:37	20.5	99		ESE	2		22.2	94		ENE	6		
5	Tu	20.3	25.4	19.2			SSW	19	16:08	22.1	94		ESE	2		24.5	83					
6	We	17.2	29.3	11.6			NNW	26	16:04	22.1	81		N	4		26.8	70		ENE	9		
7	Th	17.3	26.4	3.8						20.4	77		ESE	2		19.1	96		SE	6		
8	Fr	16.8	21.6	27			SSE	20	10:30	18.3	98		WNW	6		20.5	70		SE	7		
9	Sa	15.4	20.9	15.8			SSE	30	11:12	16.7	95		ENE	2		14.6	99		SE	7		
10	Su	13.7	22.4	55.6			SE	30	12:01	17.9	78		NW	7		21.9	68		SE	13		
11	Mo	13.0	24.2	0			NW	48	22:23	20.6	73			Calm		23.3	61		ENE	9		
12	Tu	16.0	25.8	0			NNW	26	13:56	19.3	88		NNW	4		24.9	62		N	11		
13	We	14.3	21.3	0.6			SW	44	13:37	20.5	93		W	7		20.8	73		SSE	13		
14	Th	15.9	22.9	46.2			NW	46	20:04	16.7	97		W	2		22.2	57		SSE	13		
15	Fr	15.3	23.5	3.6			ESE	28	15:35	17.5	95		SW	2		22.9	61		SE	13		
16	Sa	13.5	23.6	0.2			S	31	14:30	18.6	90		N	6		22.7	54		SE	15		
17	Su	14.3	23.1	0.2			SE	20	09:57	18.4	92		NW	2		20.5	87				Calm	
18	Mo	17.3	25.8	14.0			ENE	24	12:42	20.2	87			Calm		23.8	62		ENE	11		
19	Tu	16.8	24.2	3.4			SE	20	13:22	18.9	99			Calm		24.0	70		E	6		
20	We	14.4	26.6	1.8			ESE	20	14:13	19.4	99			Calm		26.1	62		E	9		
21	Th	15.9	26.0	0			SE	22	14:03	20.9	96			Calm		23.6	76		SE	11		
22	Fr	16.9	28.3	0			E	26	13:48	22.9	77		SE	2		27.5	64		ENE	7		
23	Sa	17.1	25.5	0			SSE	31	08:51	22.6	36		W	6		24.9	47		ESE	11		
24	Su	9.8	28.5	0			SSE	24	13:31	20.2	52		NNW	11		28.3	27		ESE	11		
25	Mo	17.6	23.9	0			SE	24	14:16	19.1	96			Calm		22.7	65		ENE	9		
26	Tu	16.3	28.4	0			ENE	26	15:02	21.7	82		N	7		27.0	63		ENE	9		
27	We	17.1	26.3	17.2			NNW	17	00:25	19.8	91		NNW	6		23.5	75				Calm	
28	Th	15.7	21.3	0			SE	31	20:28	20.0	88			Calm		18.6	96		NNW	2		
29	Fr	12.5	20.3	49.4			SSE	39	14:51	15.3	71		S	6		18.9	60		SE	19		
Statistics for February 2008																						
Mean		16.2	24.6							19.8	96			3		23.0	70				8	
Lowest		9.8	20.3							15.3	36			Calm		14.6	27				Calm	
Highest		20.3	29.3	63.0			NW	48		22.9	99		NNW	11		28.3	99		SE		19	
Total				401.4																		