



**CARBON BASED ENVIRONMENTAL
PTY LIMITED**
ABN 74 102 920 285

**ROCLA QUARRY PRODUCTS
CALGA QUARRY**

ENVIRONMENTAL MONITORING

**DUST DEPOSITION GAUGES, SURFACE AND
GROUND WATERS AND METEOROLOGICAL
STATION**

JULY 2007

A handwritten signature in black ink that reads 'Colin Davies'.

Colin Davies BSc MEIA CENVP
Environmental Scientist
21 September 2007

© Carbon Based Environmental Pty Limited 2007. This document was prepared solely for the original recipient and no third party must rely or use any information without the consent of Carbon Based Environmental Pty Limited. Carbon Based Environmental Pty Limited and the author accept no responsibility to any third party who uses or relies upon the information contained in this report.

Carbon Based Environmental Pty Limited
47 Boomerang St CESSNOCK NSW 2325
☎ 02 4990 4443 📠 02 4990 4442 📧 cbased@bigpond.com

EXECUTIVE SUMMARY

Carbon Based Environmental is contracted by Rocla Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes;

- Dust Deposition Gauges;
- Surface Waters;
- Ground Waters; and
- Meteorological Station.

This report was prepared by Carbon Based Environmental and includes the following;

- Dust Deposition results for July 2007;
- Surface Water quality results for July 2007;
- Ground Water depth and quality results for July 2007; and
- Meteorological report for July 2007.

The July 2007 dust deposition results show a slight increase in dust deposition rates this month. All sites, on a year to date average basis, are currently below the Air Quality Management Plan exceedence level of 3.7g/m².month. Results were found to be representative of dust levels as determined by the Australian Standard.

Surface water samples were collected on the 2 August 2007. Most sites were not flowing at the time of sampling with only two samples collected; these were site F and a small dam below site F, additional to the Site Water Management Plan requirements. At the time of sample collection, there was no water discharge observed from the site. The samples were collected and analysed for a normal monthly sampling event. Results show very good quality water at both site F and the small dam below site F, with slightly acidic pH, low Electrical Conductivity, low Total Suspended Solids and no detectable Total Oil and Grease.

Normal monthly monitoring of groundwaters was undertaken on the 2 August 2007. Groundwater depths increased at the majority of monitoring bores this month, indicating water moving away from the surface. Water quality parameters remained stable.

The meteorological station continued to return high data recovery and operated well in July 2007. The predominant winds were from the WNW-SSW, with the strongest winds occurring from the W. Recorded rainfall on site for July 2007 was 21.8mm, slightly lower than that recorded at the BOM Peats Ridge Station and below the Peats Ridge long-term average for July. Results are detailed below:

Rocla Calga Quarry	21.8mm
BOM Peats Ridge*	28.6mm
BOM Gosford*	46.4mm
BOM Peats Ridge Long term mean for July*	66.6mm

*Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au)

1.0 SAMPLING PROGRAM

Rocla Calga Quarry conducts environmental monitoring in accordance to Development Consent, DEC (EPA) licence and Environmental Management Plans. Carbon Based Environmental are contracted to undertake dust deposition gauge, surface and groundwater and meteorological monitoring for the project. Carbon Based Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard AS3580.10.1 “Methods for Sampling and Analysis of Ambient Air Method 10.1 Determination of Particulates—Deposited Matter—Gravimetric Method”. Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m².month.

Surface water sites include local streams and dams. Basic analysis including pH, Electrical Conductivity, Total Suspended Solids and Total Oil and Grease is conducted monthly when sites A to D are flowing and Site F, a dam. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwater sites are monitored at least bi-monthly for water quality and at least quarterly for water level. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real time display. Wind parameters are measured according to Australian Standard AS 2923 “Ambient Air— Guide for Measurement of Horizontal Wind for Air Quality Applications”.

The weather stations have the following sensor configuration;

- Air temperature
- Humidity
- Rainfall
- Atmospheric pressure
- Evaporation
- Solar radiation
- Wind speed
- Wind direction

Carbon Based Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

2.0 MONTHLY RESULTS

2.1 DUST DEPOSITION GAUGES

Table 1 displays the results for July 2007 and the project average. Results are in g/m².month.

Table 1: Dust Deposition results: 2/7/2007 to 2/8/2007

Site	Monthly Insoluble Solids	Monthly Ash Residue	Monthly Combustible Matter	Monthly Ash Residue/ Insoluble Solids %	Current Project Average Insoluble Solids
CD1	1.0	0.2	0.8	20	1.4
CD2b	1.5	0.4	1.1	27	1.4
CD3	0.6	<0.1	0.6	<17	0.8
CD4	0.8	0.1	0.7	13	1.0
CD5	0.5	0.1	0.4	20	1.1
CD6	1.0	0.3	0.7	30	1.3

Insoluble Solids marked with an * indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen, seeds), and insects. Results in bold indicate insoluble solids levels above 3.7 g/m².month, the Development Consent annual average amenity criteria at residential locations. Project average was calculated from the 28 October 2005 (start of the Development Consent period) from results supplied by Rocla or from the installation date of the gauges.


NA= Not Available.

CD1 was installed on the 1 May 2006. CD2a was discontinued at the start of August 2006 due to quarry operations “mining out” the site of the gauge. The replacement gauge, Site CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD4 was installed on 3 October 2006, to gauge air quality impacts to the south of the site operations, as were CD5 and CD6 which were installed on the 14 December 2006.


Dust deposition charts for all dust gauge sites appear in **Figure 1** below. The laboratory analysis is provided in **Appendix 1**.

Predominant winds were from the WNW-SSW, with strongest winds from the W.


Figure 1: Dust Deposition Charts




Rocla Calga Quarry Dust Gauge CD4 - Insoluble Matter



Rocla Calga Quarry Dust Gauge CD5 - Insoluble Matter



Rocla Calga Quarry Dust Gauge CD6 - Insoluble Matter



2.2 WATER MONITORING

2.2.1 Surface Waters

Monthly surface water monitoring was conducted on the 2 August 2007. Results are listed in **Table 2**. The laboratory analysis sheets are provided in **Appendix 1**.

Table 2: Monthly surface water monitoring - grab sample results

Site	Observed Flow Rate	Water Colour	Turbidity	pH	EC (uS/cm)	TSS (mg/l)	Oil and Grease (mg/l)
A	Not Flowing	--	--	--	--	--	--
B	Not Flowing	--	--	--	--	--	--
C	Not Flowing	--	--	--	--	--	--
D	Not Flowing	--	--	--	--	--	--
F	Dam	Clear	Clear	5.15	59	19	<5
Dam below F (Lower dam)*	Dam	Clear	Clear	4.87	60	15	<5

At the time of sampling, there were no water discharges off site from any sampling location. * The dam below Site F is not a requirement of the Site Water Management Plan.

There was no flow from any site at the time of sampling with two samples collected from dams; these were Site F and a small dam below site F, additional to the Site Water Management Plan requirements. The samples were collected and analysed for a monthly sampling event. Results show generally very good water quality with slightly acidic pH, low Electrical Conductivity, low Total Suspended Solids and no detected Total Oil and Grease.

2.2.2 Ground Waters

Ground waters were sampled on the 2 August 2007. For water quality purposes, water was purged from the bore until constant pH (+/- 0.1 pH units) and Electrical Conductivity (+/- 5%) was obtained between samples. Data is displayed in **Table 3 and Figures 2 to 5**.

Table 3: Ground Water Quality Data

Reference	Bore	Type	Depth to water TOC (m) April 06	Depth to water TOC (m) This report	pH This report	Electrical Conductivity (uS/cm) This report
CQ1	Voutos	* Monitor	20.59	19.75	4.4	140
CQ2	Voutos	DIP Only	6.23	4.57	4.5	75
CQ3	Voutos	* Monitor	10.53	10.18	5.4	155
CQ4	Voutos	* Monitor	8.78	5.74	4.6	90
CQ5	Gazzana	DIP Only	8.69	6.74	4.0	180
CQ6	Gazzana	DIP Only	16.00	11.61	4.0	270
CQ7	Gazzana	* Monitor	6.89	5.65	4.2	100
CQ8	Gazzana	* Monitor	11.03	6.76	4.2	180
CQ9	Gazzana	DIP Only	10.10	9.09	4.2	125
CQ10	Voutos	* Monitor	NI	22.36	4.6	130
CQ11S	Gazzana	* Monitor	NI	7.15	4.6	155
CQ11D	Gazzana	* Monitor	NI	8.54	5.1	125
CQ12	Gazzana	* Monitor	NI	3.89	4.0	150
CQ13	Kashouli	* Monitor	NI	11.81	4.7	190
CP3	Gazzana	Domestic	10.40	8.84	4.3	160
CP4	Kashouli	Domestic	13.63	8.28	4.3	245
CP5	Kashouli	Domestic	16.61	5.51	4.3	240
CP6	Kashouli	Domestic	16.27	8.44	4.1	245
CP7	Kashouli	Production	8.56	1.46	4.0	255
CP8	Rozmanec	Domestic	22.17	NR	NR	NR
MW7	Rocla Bore	* Monitor	15.76	16.07	3.7	130
MW8	Rocla Bore	* Monitor	9.82	7.50	4.1	95
MW9	Rocla Bore	* Monitor	22.44	21.97	3.9	95
MW10	Rocla Bore	* Monitor	15.41	NM	NM	NM

Notes:

TOC = Water level measured from top of bore case to water.

NM = Not Monitored – unable to sample water due to access restrictions.

NR = Not Required by resident.

* = Logger Installed.

NI = These bores were not installed in April 2006 but are now operational. April 2006 was the first set of measurements taken by Carbon Based Environmental Pty Limited.

Shading is used to indicate the following trends in water depth (compared to last reading):



	Increase to ground water depth (water moved away from surface)
	Decrease to ground water depth (water moved towards surface)
	Stable water depth (+/- 0.01m)

Water depth indicated increases in groundwater depth (water moving away from the surface) at most monitoring bores this month. The CP series of bores generally show larger increases and decreases in depth to water due to pumping from the bores.


MW10 could not be monitored this month due to site access restrictions.

Longer term monitoring is required to fully evaluate groundwater depth trends.


Figures 2 to 5: Groundwater Depth Charts.



Rocla Calga Groundwaters - Quarry Bores CP3 to CP8
Water Depth TOC



Rocla Calga Groundwaters - Quarry Bores MW7 to MW10
Water Depth TOC



Groundwater quality results indicate acidic water of low electrical conductivity. Increases were generally recorded for pH this month, back to more typical levels, supporting the assumption that the high rainfall and subsequent groundwater recharge lowered groundwater pH. Electrical conductivity remained relatively stable. Detailed bi-annual water quality monitoring was carried out in April 2007 and is next due in October 2007.

Available groundwater loggers were downloaded for further future analysis by the Rocla Calga Quarry groundwater consultant.

2.3 METEOROLOGICAL MONITORING

The Rocla Calga Quarry weather station was fully operational in July 2007 with approximately 100% data recovery. The weather station data follows and includes;

- Monthly data numerical summary;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception; and
- Wind rose (frequency distribution diagram of wind speed and direction).

Monthly weather statistics from two nearby Bureau of Meteorology (BOM) stations, Peats Ridge and Gosford are included in **Appendix 2** for comparison purposes.

Data for July 2007 shows lower rainfall at the Rocla Calga Quarry station compared to the nearby Peats Ridge and Gosford BOM stations. The rainfall comparison is provided below:

Rocla Calga Quarry	21.8mm
BOM Peats Ridge*	28.6mm
BOM Gosford*	46.4mm
BOM Peats Ridge Long term mean for July*	66.6mm

*Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au)




Results are displayed in the following table and figures.




2.3.1 Monthly meteorological data summary

Summary Jul-07 Rocla - Calga


Date	Min Temp	AV Temp	Max Temp	min %RH	av %RH	Max %RH	RAIN mm	ET mm	min WS	Av WS	max WS	Min wind chill	Max Heat index	Min Atm P	Av Atm P	Max Atm P	Min Solar Rad	Av Solar Rad	Max Solar Rad	Min Data %	Av data %	Max Data %
1/07/07	6.7	10.0	14.2	50	61	68	0.0	2.6	1.3	4.5	12.1	4.2	13.2	1009.1	1011.0	1012.8	0	74.3	396	97.1	99.5	100
2/07/07	9.8	12.9	17.6	45	61	74	0.0	3.5	2.7	4.7	11.6	7.2	16.4	1010.5	1011.7	1012.8	0	121.0	524	97.7	99.6	100
3/07/07	12.8	15.9	21.1	30	53	65	0.0	3.8	0	3.7	11.6	11	19.2	1009.7	1011.4	1012.9	0	123.1	530	98.5	99.9	100
4/07/07	13.3	15.5	18.8	32	53	77	0.4	4.5	2.2	5.7	16.5	11.2	17.7	1001.5	1005.0	1011.8	0	102.1	554	97.1	99.9	100
5/07/07	9.2	11.6	13.6	44	53	65	0.0	4.1	2.7	6.1	20.1	6	12.2	998.4	1001.1	1004.8	0	101.2	605	92.4	99.6	100
6/07/07	7.8	11.2	16.7	42	57	67	0.0	3.0	1.3	3.5	12.1	5.6	15.4	1004.9	1010.8	1014.6	0	120.5	530	98.2	99.6	100
7/07/07	7	10.4	15.1	48	65	76	0.0	2.8	0.9	3.9	12.1	4.5	13.8	1011.5	1013.2	1014.2	0	105.9	532	96.5	99.3	100
8/07/07	5.6	8.4	12.3	62	81	93	1.4	1.4	0.4	2.6	11.6	4.3	11.5	1012.5	1014.1	1015.9	0	77.9	661	91.5	98.9	100
9/07/07	7.8	9.8	13.1	84	93	98	18.8	0.9	2.2	4.4	13.9	4.8	13.1	1014.6	1018.8	1023.6	0	44.9	499	96.2	99.1	100
10/07/07	7.6	9.8	12.6	68	78	92	0.4	2.0	2.2	4.3	11.2	4.8	12.1	1022.8	1024.0	1024.9	0	80.9	559	96.8	99.2	100
11/07/07	7.7	10.1	13.2	73	83	93	0.0	1.6	0	3.4	10.7	5.6	12.8	1022.3	1023.4	1024.8	0	80.5	530	92.1	99.2	100
12/07/07	3.1	8.6	14	51	73	96	0.2	2.1	0.9	2.3	7.6	2.4	12.9	1019.4	1021.1	1023.4	0	125.4	546	94.7	98.9	100
13/07/07	5.3	8.8	12.7	54	65	74	0.0	2.4	1.3	3.9	12.5	2.4	11.7	1015.6	1017.2	1019.3	0	82.4	536	91.5	99.1	100
14/07/07	5.1	8.7	13.7	43	66	82	0.0	2.4	0.4	2.4	9.8	3.3	12.5	1017.5	1019.1	1021.8	0	126.2	547	95.6	98.7	100
15/07/07	2.2	7.0	13	47	67	85	0.0	2.0	0	1.7	6.7	1.2	11.9	1020.6	1022.2	1024.3	0	108.9	581	94.7	98.6	100
16/07/07	1.8	6.9	14.3	39	68	85	0.0	2.0	0	1.5	5.8	0.1	12.8	1021.2	1023.6	1025.6	0	125.8	563	93.3	98.5	100
17/07/07	2.9	7.4	13.4	38	61	80	0.0	3.2	0.9	4.6	11.6	-2	11.8	1017.4	1020.1	1023.6	0	130.5	561	94.4	98.7	100
18/07/07	4.6	8.0	12.4	33	50	64	0.0	3.8	2.2	4.9	13.9	2.2	11.1	1017.5	1020.6	1025.4	0	132.4	562	96.2	99.0	100
19/07/07	3.1	8.1	12.8	38	54	68	0.0	3.3	1.3	4.1	14.8	0.9	11.4	1023.9	1025.3	1026.5	0	131.4	558	95.3	99.0	100
20/07/07	8.2	10.0	12.9	59	66	74	0.0	2.3	3.1	4.8	11.6	4.9	12.3	1025.9	1027.7	1030.3	0	51.6	300	93.6	99.3	100
21/07/07	6.7	9.7	14.1	64	77	87	0.0	1.8	0.4	2.7	8.5	4.4	13.1	1029.3	1030.6	1031.8	0	87.7	632	97.1	99.2	100
22/07/07	6.9	9.5	13.5	75	89	96	0.2	1.1	0	1.1	5.4	6.1	13.1	1030.8	1031.9	1033.4	0	86.2	575	95.3	99.1	100
23/07/07	4.5	9.9	18.6	51	87	99	0.2	1.8	0	1.2	5.8	4.5	17.1	1028.3	1030.5	1033	0	130.9	621	95	99.1	100
24/07/07	6.4	11.9	17.5	50	70	90	0.0	2.0	0.9	2.5	6.7	5.3	16.4	1023.4	1025.8	1028.9	0	90.9	411	95.3	99.3	100
25/07/07	8.7	13.2	20.4	44	63	74	0.0	2.6	0	2.0	7.2	7.3	19.2	1019.6	1021.8	1023.4	0	125.6	572	97.1	99.6	100
26/07/07	10.3	14.4	21.2	34	58	73	0.0	3.5	1.3	3.1	7.6	8.2	19.5	1016.6	1019.0	1021.4	0	137.8	571	98.5	99.8	100
27/07/07	9.5	14.3	19.9	45	59	76	0.0	2.7	1.3	3.3	10.3	8.8	18.9	1010.9	1014.2	1017.6	0	75.8	475	98.5	99.8	100
28/07/07	8.2	12.4	16.7	36	53	68	0.0	3.6	1.3	3.3	8.9	6.8	15.2	1010.4	1012.6	1014.3	0	143.1	588	97.7	99.7	100
29/07/07	4	8.8	14	41	63	81	0.0	2.0	0	1.3	5.8	3.1	12.6	1011.8	1014.1	1015.8	0	106.3	605	95	99.0	100
30/07/07	3.8	8.7	15.3	49	75	90	0.0	2.2	0	1.3	6.3	2.9	14.1	1015.1	1017.7	1020.7	0	144.7	681	96.2	99.0	100
31/07/07	4.2	10.6	10.7	47	74	96	0.2	2.3	0	1.7	8	3.7	16.2	1013.2	1018.3	1021.8	0	131.1	608	95	99.3	100
Monthly	1.8	10.4	21.2	30	67	99	21.8	79.1	0	3.2	20.1	-2	19.5	998.4	1018.6	1033.4	0	106.7	681	91.5	99.2	100

2.3.2 Monthly weather charts







Rocla Calga Quarry - July 2007
Rainfall



Rocla Calga Quarry - July 2007
Evapotranspiration




Rocla Calga Quarry - July 2007
Data Reception



2.3.3 Windrose plot

Frequency plot of the average wind speed and average direction over each 15 minute sampling period. Wind is considered calm when less than a 15 minute average of 1m/s.



The windrose shows predominant winds from the WNW-SSW this month. The maximum wind speed was 20.1 m/s recorded from the WNW.

APPENDIX 1
LABORATORY CERTIFICATES

APPENDIX 2

**ADDITIONAL BUREAU OF METEOROLOGY DATA
FROM PEATS RIDGE AND GOSFORD
MONITORING STATIONS**

**Peats Ridge, New South Wales
July 2007 Daily Weather Observations**



Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am					3pm						
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C					km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	Su	5.0		0	1.2				10.0	63	4	WNW	4		14.0	52	5	NW	28		
2	Mo		17.9	0																	
3	Tu	7.8	21.2	0	1.2				16.9	60	1	NW	6								
4	We	8.9	19.5	1.2	2.8				17.5	55	2	NW	4								
5	Th	10.4	14.3	0	1.8				12.5	55	5	NW	4								
6	Fr	6.2		0	0.8				10.5	62	0	NW	4								
7	Sa			0																	
8	Su		15.6	0										9.9	82	7	SSW	4			
9	Mo	6.9	13.2	14.0	2.8				9.7	96	8	S	4		11.7	91	8	SSW	28		
10	Tu	5.7	13.2	12.6	2.0				9.3	78	7	SW	9		10.5	80	5	SW	4		
11	We	6.8	13.2	0.2	1.0				10.3	74	8	SW	19								
12	Th	4.4		0.4	1.4				7.8	81	0	WSW	9		13.1	46	0	SW	9		
13	Fr		13.7	0																	
14	Sa	3.3	13.3	0	3.0				7.6	73	0	NW	4		13.0	52	1	SW	9		
15	Su	2.2	12.6	0	1.2				5.6	74	1	NW	19		11.2	73	6	SSW	4		
16	Mo	1.7	13.6	0	1.6				6.2	77	6	NW	9		13.2	46	3	NW	4		
17	Tu	1.4	13.6	0	1.2				5.4	67	0	NW	19		13.0	41	2	WNW	9		
18	We	4.1	12.5	0	2.4				7.8	49	0	NW	19		11.8	35	1	W	28		
19	Th	1.3	12.6	0	2.0				6.7	56	1	NW	4		11.8	47	1	SW	9		
20	Fr	6.2	13.8	0	2.4				9.7	66	7	SW	19		12.6	63	7	SW	19		
21	Sa	5.9	13.6	0	1.4				9.9	78	4	SW	19		12.8	71	6	S	4		
22	Su	5.0	13.2	0	1.0				11.2	90	6	S	4		12.7	82	7	SSW	4		
23	Mo	4.3	16.3	0.2	1.0				9.2	96	5	NW	4		15.2	63	4	ENE	4		
24	Tu	6.7	17.8	0	0.6				11.0	69	8	NW	9		15.9	62	6	NW	4		
25	We	6.3	19.4	0	1.0				13.0	62	3	NW	4		17.2	68	5	NW	4		
26	Th	9.1	20.8	0	1.8				14.2	65	0	WNW	9		20.1	41	2	NW	4		
27	Fr	11.1	19.4	0	2.6				12.6	68	7	NW	9		18.2	42	4	NW	4		
28	Sa	7.1	17.2	0	1.0				13.2	55	0	NW	9		17.1	36	1	NW	9		
29	Su	4.7	15.1	0	2.6				9.0	62	2	NW	9		13.1	57	7	WSW	4		
30	Mo	3.3	15.0	0	1.2				9.2	71	0	SW	9		14.1	57	1	S	4		
31	Tu	3.3	16.8	0	1.6				9.6	79	3	NW	9		15.6	56	7	E	4		
Statistics for July 2007																					
Mean		5.5	15.5		1.7				10.2	69	3		9		13.8	58	4		8		
Lowest		1.3	12.5		0.6				5.4	49	0	#	4		9.9	35	0	#	4		
Highest		11.1	21.2	14.0	3.0				17.5	96	8	#	19		20.1	91	8	#	28		
Total				28.6	44.6																

Gosford, New South Wales
July 2007 Daily Weather Observations



Date	Day	Temps		Rain mm	Evap mm	Sun hours	Max wind gust			9am						3pm					
		Min	Max				Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C					km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	Su	1.7	14.5	0			WNW	30	11:51	7.7	91			Calm		14.1	81		E	2	
2	Mo	4.4	19.6	0.4			N	28	12:31	10.8	89					18.4	41		NW	9	
3	Tu	5.8	23.2	0			W	28	13:18	13.7	84		N		21.7	31		NW	6		
4	We	7.5	21.4	0.6			N	37	12:51	17.4	60		N	15	21.0	35		W	6		
5	Th	5.7		0						14.3	51		N	8	14.7	40		NNW	19		
6	Fr														17.2	46			Calm		
7	Sa		17.5				N	35	11:45	13.1	60		NNW	15	16.8	43		WNW	6		
8	Su	4.0	13.8	0			WNW	22	09:12	11.5	69		N	6	12.2	66		S	6		
9	Mo	8.6	15.4	28.0			S	39	13:40	12.1	92		SW	6	13.5	89		SSE	11		
10	Tu	6.7	15.4	16.2			S	28	11:40	11.1	73		SW	6	14.7	55		SSE	9		
11	We	7.7	16.1	0.2			WSW	24	10:35	12.0	78		WNW	6	14.3	71		SSW	4		
12	Th	2.8	15.6	0			W	31	11:03	9.6	67		NW	9	15.4	46		SE	2		
13	Fr	5.1	16.0	0			WNW	28	10:08	10.8	58		NW	9	14.3	50		NW	7		
14	Sa	7.2	15.2	0			NW	24	07:25	11.0	58		NW	9	14.9	42		WNW	2		
15	Su	0.5	14.6	0.2			NNW	28	10:09	8.9	58		NW	13	13.9	40		SW	4		
16	Mo	0.3	15.5	0			NNW	20	13:27	6.7	79			Calm		14.7	35		NNW	11	
17	Tu	-1.5	15.3	0.2			N	31	10:53	4.7	97		SE	2	15.2	34		NNW	7		
18	We	2.4	14.6	0			NNW	31	10:03	9.8	46		N	7	14.3	29		W	9		
19	Th	3.3	14.9	0			SE	33	12:23	9.7	50		NW	11	14.4	34		NNW	6		
20	Fr	8.2	15.2	0			SSE	33	15:29	11.1	63		SSE	7	15.1	60		SSE	9		
21	Sa	7.9	15.6	0			NW	24	08:28	11.5	74		WNW	13	14.4	66		SE	9		
22	Su	6.8	15.9	0			SSE	17	13:41	12.2	85		NNW	2	14.0	73		SSE	6		
23	Mo	3.1	18.4	0.2			WNW	19	09:27	9.2	98			Calm		16.4	64		ENE	9	
24	Tu	3.5	19.3	0			N	24	11:29	8.1	99			Calm		17.5	56		WNW	4	
25	We	3.0	21.4	0.2			N	22	10:43	14.9	62		NNW	7	19.5	49			Calm		
26	Th	3.9	22.3	0			W	28	11:42	16.1	62		N	11	21.8	34		NW	9		
27	Fr	5.4	21.5	0			NNW	24	13:14	10.7	99			Calm		21.0	43		N	11	
28	Sa	5.8	18.8	0.2			SSW	24	12:02	13.8	62		N	2	18.4	34		SSW	6		
29	Su	1.9	16.0	0			NNW	28	09:35	11.6	54		E	7	14.1	55			Calm		
30	Mo	1.8	16.5	0			SE	20	12:16	11.0	69		ESE	7	15.3	53		SE	9		
31	Tu	0.9	18.7	0			NNW	20	11:55	8.4	94		SW	2	17.1	51		N	7		
Statistics for July 2007																					
Mean		4.3	17.2							11.1	72			6		16.1	49			6	
Lowest		-1.5	13.8							4.7	46			Calm		12.2	29			Calm	
Highest		8.6	23.2	28.0			S	39		17.4	99		#	15		21.8	89		NNW	19	
Total				46.4																	